



Handicare 4000

Our twin-rail curved stairlift



The 4000 curved stairlift uses the very latest technology to take you round the tightest bends with added comfort.

Handicare 4000 | Our twin-rail curved stairlift

Comfort, style and fit matter. The Handicare 4000 has a selection of seat options to complement your home design and your mobility needs with adjustable seat height, seat depth and armrest widths.



Style

A polished design that's built for comfort. Perfect to pair with power swivel and power footrest options.



Simplicity

A classic look with an easy-to-clean leatherette finish (in sand) and manual fold-up seat, armrests, footrest and swivel.



Smart

An endless array of options and upgrades to satisfy all needs and personal taste.



Perch

Ideal for those with knee or hip problems, the raised seat and reduced seat depth allow you to ride slightly standing.



Outdoor


Specialised UV-protected upholstery (in slate) provides longevity outdoors without fading or cracking.

Color options

Seat colors



Standard rail colors



Custom rail colors available at additional charge

Features



Energy efficient

Low running costs and batteries that remain operational if there's a power cut.



Capacity

The 4000 can carry up to 136kg and the heavy duty option carries up to 160kg.



Safety


Interlocking seatbelt - the stairlift will not move until the seatbelt is fastened. Other features include an emergency stop button, safety sensors and One Touch Alert.



Optional extras

Easily upgrade with powered options to suit your needs today and tomorrow. Choose from powered seat swivel, powered folding footrest and powered folding hinge.





Twin rail system

Our twin rail system is custom built to create a perfect fit for your stairs.

Using the latest technology, the 4000 offers the tightest bends on the market, making it an ideal choice for spiral or curved staircases and narrow hallways.



Augmented reality

See how your stairlift will look on your staircase with our advanced digital staircase measurement system - PhotoSurvey4D. Ensuring 100% accurate dimensions of your stairs, hallway and landing, our approved partners can generate measurements in as little as 10 minutes!



Great outdoors

The 4000 is suitable for outdoor use too. Improved UV-protected upholstery provides longevity outdoors, with a chrome plated rail and water-resistant cover (IP44 rated) for additional protection. A key switch presents unauthorised use.



Compact

Folds to leave more room on the stairs when not in use. Hinged rail allows clear access on the lower level.



Easy to use

Scan the QR-code to watch our video showing how to use the 4000.



One Touch Alert

With the simple press of a button, you can dial your emergency contacts directly from your stairlift through the new Savaria One Touch Alert. A discreet yet invaluable feature that utilises two-way communication, the system connects you with assistance swiftly and reliably, if required.




Handicare 4000 | Our twin-rail curved stairlift

Dimensions & specifications

Style seat diagram shown for example purposes only.


Dimensions may vary depending on the specific characteristics of the staircase in the home. All information and images are provided for illustrative purposes only and are subject to change. While provided in good faith, they do not constitute a guarantee. Handicare reserves the right to alter designs and specifications without prior notice.



	Style	Simplicity	Smart	Perch
A Standard swivel radius with short armrest	735mm 700mm	735mm 700mm	700-750mm -	- -
B Minimum wall to seat back	110mm	110mm	130mm	130mm
C Seat depth	390mm	390mm	360-425mm	247mm
D Minimum folded width to footplate	405mm	405mm	405mm	405mm
E Minimum open width to edge of footplate To small footplate To offset footplate	695mm 635mm 655mm	695mm 635mm 655mm	695mm 635mm 655mm	695mm - -
F Armrest width - external	585mm	585mm	530-630mm	530-630mm
G Armrest width - internal	430mm	430mm	410-510mm	410-510mm
H Seat back height Footplate rake adjustment	400mm 50mm	400mm 50mm	455mm 50mm	455mm 50mm
I Footplate to seat height With footplate rake adjustment	470-550mm 420-500mm	470-550mm 420-500mm	490-590mm 440-540mm	625-750mm -
J Minimum footplate height	70mm*	70mm*	70mm*	70mm*
Minimum track intrusion into staircase	125mm	125mm	125mm	125mm
Standard weight limit	136kg	136kg	136kg	136kg
Heavy duty weight limit	160kg	160kg	160kg	160kg
Speed	0.12m/sec (approx)	0.12m/sec (approx)	0.12m/sec (approx)	0.12m/sec (approx)
Maximum staircase angle	56°	56°	56°	56°

* On horizontal landings

Authorised Dealer:



Asia Sales Office: Room 701, No.420 Gaoqibei Road
Huli District, Xiamen City
Fujian 361011 China
www.savaria.asia

With a rich history of product innovation and service excellence in the lift industry dating back more than 100 years, Handicare designs and makes straight and curved stairlifts for indoor and outdoor installations, which are sold in over 50 countries worldwide.

Handicare is part of Savaria Corporation.
With a shared vision of empowering mobility for life, our over 2400 employees reach global markets with products that provide barrier-free access in the home and public buildings.

